


CLAIMS


What is claimed is:

1. A compound of the formula



wherein:

G is



R^1 and R^2 are independently, hydrogen, alkyl of 1 to 6 carbon atoms, mono or bicyclic aralkyl of 6 to 10 carbon atoms, or heterocycloalkyl-alkyl comprised of a 5 to 10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O and an alkyl of 1 to 6 carbon atoms;

R^3 is hydrogen, mono or bicyclic aryl of 6 to 10 carbon atoms, 5 to 10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O;

R^4 is hydrogen, NHR^9 , OR^9 , $NHCO_2R^9$, $NHCONHR^9$, $NHCOR^9$ or $NHSO_2R^9$; provided that R^3 and R^4 are not both hydrogen;

R^5 is hydrogen or alkyl of 1 to 6 carbon atoms;

R⁶ and R⁷ are independently hydrogen, alkyl of 1 to 6 carbon atoms, alkoxy of 1 to 6 carbon atoms, or aralkoxy of 6 to 10 carbon atoms;

5 R⁸ and R⁹ are independently hydrogen, trichoroalkylalkoxy, trifluoromethoxyphenyl, arakenyl of 7 to 10 carbon atoms, alkyl of 1 to 10 carbon atoms, alkenyl of 2 to 10 carbons, alkynyl of 2 to 10 carbons, mono or polycycloalkyl of 3-12 carbon atoms, mono or polycycloalkyl-alkyl of 4-12 carbon atoms, mono or bicyclic aryl of 6 to 10 carbon atoms, 6 to 10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O, mono or bicyclic aralkyl of 7 to 10 carbon
10 atoms, or heterocycloalkyl-alkyl comprised of a 5 to 10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O and an alkyl of 1 to 6 carbon atoms;

15 n is an integer from 1 to 4; and m is 0 or 1; or a pharmaceutically acceptable salt thereof.

2. A compound of Claim 1 wherein G is 6-aminopyridin-2-yl, pyridin-2-yl, pyrimidin-2-yl, tetrahydropyrimidin-2-yl, tetrahydropyrimidin-4-one-2-yl, imidazol-2-yl, 5-amino 1,2,4-triazol-3-yl, dihydroimidazol-2-yl, amino(imino)methyl, pyridyl-
20 NHC(=O)-, or benzyl-NHC(=O)-.

3. A compound of Claim 2 wherein G is pyridin-2-yl, imidazolyl-2-yl, 5-amino 1,2,4-triazol-3-yl, or tetrahydropyrimidin-2-yl.

25 4. A compound of Claim 1 wherein R¹ and R² are hydrogen.

5. A compound of Claim 1 wherein R³ is hydrogen, phenyl, or pyridyl.

6. Compound of Claim 1 wherein R⁴ is hydrogen, HNSO₂phenyl, HNSO₂alkyl, NHCO₂benzyl, NHCO₂neopentyl, NHCO₂adamantyl, NHCO₂CH₂adamantyl,
30 NHCONHphenyl, NHCONHbenzyl, NHCONHalkyl, NHCOphenyl, NHCObenzyl, NHCOalkyl or NHCOadamantyl.

7. A compound of Claim 1 wherein G is pyridin-2-yl, 6-aminopyridin-2-yl, 5-amino 1,2,4-triazol-3-yl, imidazol-2-yl, dihydroimidazol-2-yl or tetrahydropyrimidin-2-yl, R¹, R² and R³ are hydrogen, R⁴ is NHSO₂phenyl, NHCO₂benzyl or
5 NHCO₂neopentyl and R⁵ is hydrogen or alkyl of 1 to 3 carbon atoms.
8. A compound of Claim 1 wherein G is pyridin-2-yl, 6-aminopyridin-2-yl, 5-amino 1,2,4-triazol-3-yl, imidazol-2-yl, dihydroimidazol-2-yl, or tetrahydropyrimidin-2-yl, R¹, R² and R⁴ are hydrogen, R³ is phenyl or pyridyl and R⁵ is hydrogen or alkyl
10 of 1 to 4 carbon atoms.
9. A compound of Claim 1 wherein n is 2 or 3.
10. A compound of Claim 1 where G is 1,4,5,6-tetrahydropyrimidyl and R⁴ is
15 NHCO₂R⁹.
11. A compound of Claim 1, which is:
- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(methoxycarbonyl)amino]propanoic acid;
- 20 (2S)-2-[(ethoxycarbonyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(propoxycarbonyl)amino]propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-
25 amino)-2-[(isopropoxycarbonyl)amino]propanoic acid;
- (2S)-2-[[allyloxy]carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-{[(but-3-enyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-{[(hexyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

- 5 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-{[(octyloxy)carbonyl]amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-{[(neopentyloxy)carbonyl]amino}propanoic acid;

- 10 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-{[(2,2,2-trichloroethoxy)carbonyl]amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(butoxycarbonyl)amino]propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(isobutoxycarbonyl)amino]propanoic acid;

- 15 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-{[(prop-2-ynyloxy)carbonyl]amino}propanoic acid; or

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid, or a pharmaceutically acceptable salt form thereof.

- 20 12. A compound of Claim 1 wherein G is 1,4,5,6-tetrahydropyrimidyl and R⁴ is NHCONHR⁹.

13. A compound of Claim 1 which is:

- 25 (2S)-2-{[(butylamino)carbonyl]amino}-3-(2{2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-{[(hexylamino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-{[(octylamino)carbonyl]amino}propanoic acid;
- (2S)-2-{[(allylamino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 5 (2S)-2-{[(1-adamantylamino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-[(anilino)carbonyl]amino-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-{[(cyclohexylamino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 10 (2S)-2-{[(benzylamino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(4-toluidino)carbonyl]amino}propanoic acid;
- 15 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(2-toluidino)carbonyl]amino}propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(2-methoxyanilino)carbonyl]amino}propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(4-methoxyanilino)carbonyl]amino}propanoic acid;
- 20 (2S)-2-{[(2-chloroanilino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-{[(2-bromoanilino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 25 (2S)-2-{[(1,1'-biphenyl)-2-ylamino]carbonyl}amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-[[{(4-chloroanilino)carbonyl]amino}-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid; or

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[[{(1-naphthylamino)carbonyl]amino}propanoic acid;

- 5 or a pharmaceutically acceptable salt form thereof.

14. A compound of Claim 1 wherein G is 1,4,5,6-tetrahydropyrimidyl and R⁴ is NHCOR⁹.

15. A compound of Claim 1 which is:

10 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-([{(2-phenylethyl)amino]carbonyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-(isobutyrylamino)propanoic acid;

(2S)-2-(hexanoylamino)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

15 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-(pentanoylamino)propanoic acid;

(2S)-2-[(3,3-dimethylbutanoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

20 (2S)-2-[(cyclohexylcarbonyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(2-phenylacetyl)amino]propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(3-phenylpropanoyl)amino]propanoic acid;

25 (2S)-2-[(2-cyclohexylacetyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]-benzoyl}amino)-2-{{(E)-3-phenylprop-2-enoyl}amino}propanoic acid;

(2S)-2-[(2-chlorobenzoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

5 (2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(2-methylbenzoyl)amino]propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(2-methoxybenzoyl)amino]propanoic acid;

10 (2S)-2-[(4-chlorobenzoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(4-methylbenzoyl)amino]propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}-amino)-2-[(4-methoxybenzoyl)amino]propanoic acid;

15 (2S)-2-[(2,5-dimethyl-3-furoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-[(2-bromobenzoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

20 (2S)-2-[(4-bromobenzoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-[(2,3-dimethylbenzoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-[(3-chlorobenzoyl)amino]-3-({2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid or pharmaceutical salts thereof.

25

16. A compound of Claim 1 wherein G is pyrimidin-2-yl and R⁴ is NHCO₂R⁹.]

17. A compound of Claim 1 which is:

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-
[(phenoxyacetyl)amino]propanoic acid;

5 (2S)-2-{{(benzyloxy)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-
ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-
[(isobutoxycarbonyl)amino]propanoic acid;

10 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(4-
methoxyphenoxy)carbonyl}amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-
{{(octyloxy)carbonyl}amino}propanoic acid;

(2S)-2-[(butoxycarbonyl)amino]-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]-
benzoyl}amino)propanoic acid;

15 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(2,2,2-
trichloroethoxy)carbonyl}amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-
{{(neopentyloxy)carbonyl}amino}propanoic acid;

20 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(4-
nitrobenzyl)oxy}carbonyl}amino)propanoic acid;

(2S)-2-{{(hexyloxy)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-
ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(prop-2-
ynyloxy)carbonyl}amino}propanoic acid;

25 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(4-
methylphenoxy)carbonyl}amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(methoxycarbonyl)amino]propanoic acid;

(2S)-2-[(ethoxycarbonyl)amino]-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

5 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(propoxycarbonyl)amino]propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(isopropoxycarbonyl)amino]propanoic acid;

10 (2S)-2-[[allyloxy]carbonyl]amino)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid; or

(2S)-2-[[but-3-enyloxy]carbonyl]amino)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid or pharmaceutical salts thereof.

15 18. A compound of claim 1 wherein G is pyrimidin-2-yl and R⁴ is NHCONH⁹.

19. A compound of Claim 1 which is:

(2S)-2-[(anilincarbonyl)amino]-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

20 (2S)-2-[[tert-butylamino]carbonyl]amino)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-[[butylamino]carbonyl]amino)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[[4-methoxyanilino]carbonyl]amino)propanoic acid;

25 (2S)-2-[[2-ethyl-anilino]carbonyl]amino)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

- (2S)-2-{{(allylamino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-{{(2,4-dichloroanilino)carbonyl}amino}-3-({2-hydroxy-4-[2-pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 5 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(2-toluidinocarbonyl)amino]propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(2-methoxyanilino)carbonyl}amino}propanoic acid;
- (2S)-2-{{(2-chloroanilino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 10 (2S)-2-{{(2-bromoanilino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-{{([1,1'-biphenyl]-2-ylamino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 15 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-[(4-toluidinocarbonyl)amino]propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-({[4-trifluoromethyl]anilino]carbonyl}amino)propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-({[4-(trifluoromethoxy)anilino]carbonyl}amino)propanoic acid;
- 20 (2S)-2-{{(4-chloroanilino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-{{(4-fluoroanilino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 25 (2S)-2-{{(4-acetylanilino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-2-{{(cyclohexylamino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{(1-naphthylamino)carbonyl}amino}propanoic acid;

(2S)-2-{{(benzylamino)carbonyl}amino}-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)propanoic acid;

- 5 (2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-({[2-phenylethyl]amino)carbonyl}amino)propanoic acid; or

(2S)-3-({2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoyl}amino)-2-{{[(octylamino)carbonyl]amino}propanoic acid or pharmaceutical salts thereof.

- 10 20. A compound of Claim 1 wherein G is 4,5-dihydro-1H-imidazolyl and R⁴ is NHCO₂R⁹.

21. A compound of Claim 1 which is:

- 15 (2S)-2-{{(benzyloxy)carbonyl}amino}-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(methoxycarbonyl)amino]propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(ethoxycarbonyl)amino]propanoic acid;
- 20 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(propoxycarbonyl)amino]propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(isopropoxycarbonyl)amino]propanoic acid;
- 25 (2S)-2-{{(allyloxy)carbonyl}amino}-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- (2S)-2-{{(but-3-enyloxy)carbonyl}amino}-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-{{(prop-2-ynloxy)carbonyl}amino}propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-{{(hexyloxy)carbonyl}amino}propanoic acid;

5 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-{{(octyloxy)carbonyl}amino}propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-{{(neopentyloxy)carbonyl}amino}propanoic acid;

10 (2S)-2-[(butoxycarbonyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid; or

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-[(isobutoxycarbonyl)amino]propanoic acid;

or a pharmaceutically acceptable salt form thereof.

15 22. A compound of Claim 1 wherein G is 4,5-dihydro-1H-imidazolyl and R⁴ is NHCONHR⁹.

23. A compound of Claim 1 which is:

20 (2S)-2-{{(butylamino)carbonyl}amino)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-{{(hexylamino)carbonyl}amino}propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-{{(octylamino)carbonyl}amino}propanoic acid;

25 (2S)-2-{{(allylamino)carbonyl}amino)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

(2S)-2-([(cyclohexylamino)carbonyl]amino)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

(2S)-2-([(benzylamino)carbonyl]amino)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

- 5 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-([(1S,2R)-2-phenylcyclopropylamino]carbonyl}amino)propionic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-([(2-methoxyanilino)carbonyl]amino}propanoic acid;

- 10 (2S)-2-([(1,1'-biphenyl)-2-ylamino]carbonyl}amino)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid; or
(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-([(2-phenylethyl)amino]carbonyl}amino)propanoic acid or pharmaceutical salts thereof.

15

24. A compound of Claim 1 wherein G is 4,5-dihydro-1H-imidazol and R⁴ is NHCOR⁹.

25. A compound of Claim 1 which is:

- 20 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-(isobutyrylamino)propanoic acid;

(2S)-2-(butyrylamino)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

- 25 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-(hexanoylamino)propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-(pentanoylamino)propanoic acid;

- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(3,3-dimethylbutanoyl)amino]propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(2,2,3,3-tetramethylcyclopropyl)carbonyl]amino}propanoic acid;
- 5 (2S)-2-{[2-(1-adamantyl)acetyl]amino}-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-(pent-4-ynoylamino)propanoic acid;
- (2S)-2-[(cyclohexylcarbonyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- 10 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(2-phenylacetyl)amino]propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(3-phenylpropanoyl)amino]propanoic acid;
- 15 (2S)-2-[(2-cyclohexylacetyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(E)-3-phenylprop-2-enoyl]amino}propanoic acid;
- (2S)-2-[(2-chlorobenzoyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- 20 (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-[(2-methylbenzoyl)amino]propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-[(2-methoxybenzoyl)amino]propanoic acid;
- 25 (2S)-2-[(4-chlorobenzoyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;
- (2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-[(4-methylbenzoyl)amino]propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-[(4-methoxybenzoyl)amino]propanoic acid;

(2S)-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)-2-[(2,5-dimethyl-3-furoyl)amino]propanoic acid;

5 (2S)-2-[(2-bromobenzoyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

(2S)-2-[(4-bromobenzoyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

10 (2S)-3-({-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}-amino)-2-[(2,3-dimethylbenzoyl)amino]propanoic acid; or
(2S)-2[(3-chlorobenzoyl)amino]-3-({4-[2-(4,5-dihydro-1H-imidazol-2-ylamino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid or pharmaceutical salts thereof.

15 26. A compound of Claim 1 wherein G is 3,4,5,6-tetrahydro-2H-azepinyl and R^4 is NHCO_2R^9 .

27. A compound of Claim 1 which is:

20 (2S)-2-{{{benzyloxy}carbonyl}amino}-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-[(methoxycarbonyl)amino]propanoic acid;

(2S)-2-[(ethoxycarbonyl)amino]-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)propanoic acid;

25 (2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-[(propoxycarbonyl)amino]propanoic acid;

- (2S)-3-({hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-[(isopropoxycarbonyl)amino]propanoic acid;
- (2S)-2-{{{allyloxy}carbonyl}amino}-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- 5 (2S)-2-{{{but-3-enyloxy}carbonyl}amino}-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-{{{prop-2-ynyloxy}carbonyl}amino}propanoic acid;
- 10 (2S)-2-{{{hexyloxy}carbonyl}amino}-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-{{{octyloxy}carbonyl}amino}propanoic acid;
- (2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-{{{neopentyloxy}carbonyl}amino}propanoic acid;
- 15 (2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}-amino)-2-{{{2,2,2-trichloroethoxy}carbonyl}amino}propanoic acid;
- (2S)-2-[(butoxycarbonyl)amino]-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)propanoic acid; or
- 20 (2S)-3-({2-hydroxy-4-[2-(3,4,5,6-tetrahydro-2H-azepin-7-ylamino)ethoxy]benzoyl}amino)-2-[(isobutoxycarbonyl)amino]propanoic acid or pharmaceutical salts thereof.

28. A compound of Claim 1 wherein G is $\text{NH}_2\text{C}(\text{NH})-$ and R^4 is NHCO_2R^9 .

25

29. A compound of Claim 1 which is:

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy})-2-hydroxybenzoyl]amino}-2-{{{benzyloxy}carbonyl}amino}propanoic acid;

- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
[(methoxycarbonyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
[(ethoxycarbonyl)amino]propanoic acid;
- 5 (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
[(propoxycarbonyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
[(isopropoxycarbonyl)amino]propanoic acid;
- 10 (2S)-2-{[(allyloxy)carbonyl]amino}-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-
2-hydroxybenzoyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(but-3-enyloxy)carbonyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(butoxycarbonyl)amino]propanoic acid;
- 15 (2S)-3-{4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(2,2,2-trichloroethoxy)carbonyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(neopentyloxy)carbonyl]amino}propanoic acid;
- 20 (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(hexyloxy)carbonyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(prop-2-ynyloxy)carbonyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(1,1'-biphenyl)-2-ylmethoxy]carbonyl]amino}propanoic acid;
- 25 (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(4-bromobenzyl)oxy]carbonyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(4-fluorobenzyl)oxy]carbonyl]amino}propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
({[(2-bromobenzyl)oxy]carbonyl}amino)propanoic acid; or

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[({[4-(trifluoromethyl)benzyl]oxy}carbonyl)amino]propanoic acid or pharmaceutical
5 salts thereof.

30. A compound of Claim 1 wherein G in $\text{NH}_2\text{C}(=\text{NH})$ - and R^4 is NHCONHR^9 .

31. A compound of Claim 1 which is:

- 10 (2S)-3-{{4-(2-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-
hydroxybenzoyl}amino}-2-[(2-toluidinocarbonyl)amino]propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
{{[2-methoxyanilino]carbonyl}amino}propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
15 {{[(2-chloroanilino)carbonyl]amino}propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
{{[(2-bromoanilino)carbonyl]amino}propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
{{[[1,1'-biphenyl]-2-ylamino]carbonyl}amino}propanoic acid;
- 20 (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(4-toluidinocarbonyl)amino]propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
({[4-(trifluoromethoxy)anilino]carbonyl}amino)propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
25 {{[(4-chloroanilino)carbonyl]amino}propanoic acid;
- (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
{{[(4-fluoroanilino)carbonyl]amino}propanoic acid;

(2S)-2-{{[(4-acetylanilino)carbonyl]amino}-3-{{[4-(2-{{[amino(imino)methyl]-amino}ethoxy)-2-hydroxybenzoyl]amino}propanoic acid;

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[(cyclohexylamino)carbonyl]amino}propanoic acid;

5 (2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[(1-naphthylamino)carbonyl]amino}propanoic acid;

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[(benzoylamino)carbonyl]amino}propanoic acid;

10 (2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[(2-phenylethyl)amino]carbonyl]amino}propanoic acid;

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[(octylamino)carbonyl]amino}propanoic acid;

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[(4-methoxyanilino)carbonyl]amino}propanoic acid; or

15 (2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{{[anilino]carbonyl]amino}propanoic acid or pharmaceutical salts thereof.

32. A compound of Claim 1 wherein G is $\text{NH}_2\text{C}(=\text{NH})-$ and R^4 is NHCOR^9 .

20 33. A compound of Claim 1 which is:

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]-amino}-2-(isobutyrylamino)propanoic acid;

(2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-(butyrylamino)propanoic acid;

25 (2S)-3-{{[4-(2-{{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-(hexanoylamino)propanoic acid;

- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-(pentanoylamino)propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(3,3-dimethylbutanoyl)amino]propanoic acid;
- 5 (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{[(2,2,3,3-tetramethylcyclopropyl)carbonyl]amino}propanoic acid;
- (2S)-2-{[2-(1-adamantyl)acetyl]amino}-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
- 10 (pent-4-ynoylamino)propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(cyclohexylcarbonyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(2-phenylacetyl)amino]propanoic acid;
- 15 (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(3-phenylpropanoyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(2-cyclohexylacetyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
- 20 {[(E)-3-phenylprop-2-enoyl]amino}propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(2-chlorobenzoyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(2-methylbenzoyl)amino]propanoic acid;
- 25 (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(2-methoxybenzoyl)amino]propanoic acid;
- (2S)-3-{[4-(2-{[amino(imino)methyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-[(4-chlorobenzoyl)amino]propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(4-methylbenzoyl)amino]propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(4-methoxybenzoyl)amino]propanoic acid;

5 (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(pyridin-3ylcarbonyl)amino]propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
(isonicotinoylamino)propanoic acid;

10 (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(2,5-dimethyl-3-furoyl)amino]propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(2-bromobenzoyl)amino]propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(4-bromobenzoyl)amino]propanoic acid;

15 (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(2,3-dimethylbenzoyl)amino]propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(3-chlorobenzoyl)amino]propanoic acid;

20 (2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
(benzoylamino)propanoic acid;

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(4-ethylbenzoyl)amino]propanoic acid; or

(2S)-3-{{4-(2-{{amino(imino)methyl}amino}ethoxy)-2-hydroxybenzoyl}amino}-2-
[(4-butoxybenzoyl)amino]propanoic acid or pharmaceutical salts thereof.

25

34. A compound of Claim 1 wherein G is R^8NHCO- . R^8 is benzyl and R^4 is $NHCO_2R^9$.

30

35. A compound of Claim 1 which is:

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(benzyloxycarbonyl]amino}propanoic acid;

5

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(methoxycarbonyl]amino}propanoic acid;

10

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(ethoxycarbonyl]amino}propanoic acid;

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(propoxycarbonyl]amino}propanoic acid;

15

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(isopropoxycarbonyl]amino}propanoic acid;

20

(2S)-2-{[(allyloxy)carbonyl]amino}-3-{[4-(2-
{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}propanoic acid;

25

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(but-3-enyloxy)carbonyl]amino}propanoic acid;

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(hexyloxy)carbonyl]amino}propanoic acid;

30

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(octyloxy)carbonyl]amino}propanoic acid;

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
{[(neopentyloxy)carbonyl]amino}propanoic acid;

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-{[(2,2,2-trichloroethoxy)carbonyl]amino}propanoic acid;

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
5 [(butoxycarbonyl)amino]propanoic acid;

(2S)-3-{[4-(2-{[(benzylamino)carbonyl]amino}ethoxy)-2-hydroxybenzoyl]amino}-2-
[(isobutoxycarbonyl)amino]propanoic acid or pharmaceutical salts thereof.

10 36. A compound of Claim 1 wherein G is R^8NHCO , R^8 is pyridin-3yl methyl, and R^4 is $NHCO_2R^9$.

37. A compound of Claim 1 which is:
15 (2S)-2-{[(benzyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl]amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[pyridin-3-ylmethyl]amino]carbonyl}amino)-
20 ethoxy]benzoyl}amino)-2-[(methoxycarbonyl)amino]propanoic acid;

(2S)-2-[(ethoxycarbonyl)amino]-3-({2-hydroxy-4-[2-({[pyridin-3-ylmethyl]-
amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

25 (2S)-3-({2-hydroxy-4-[2-({[pyridin-3-ylmethyl]amino]carbonyl}amino)ethoxy]
benzoyl}amino)-2-[(propoxycarbonyl)amino]propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[pyridin-3-ylmethyl]amino]carbonyl}amino)ethoxy]-
benzoyl}amino)-2-[(isopropoxycarbonyl)amino]propanoic acid;

30 (2S)-2-{[(allyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-{[(but-3-enyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-{[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

5 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)-2-{[(prop-2-ynyloxy)carbonyl]amino}propanoic acid;

(2S)-2-{[(hexyloxy)carbonyl]amino}-3-({2-hydroxy-4-([[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

10 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)-2-{[(octyloxy)carbonyl]amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)-2-{[(neopentyloxy)carbonyl]amino}propanoic acid;

15 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)-2-{[(2,2,2-trichloroethoxy)carbonyl]amino}propanoic acid;

20 (2S)-2-[(butoxycarbonyl)amino]-3-({2-hydroxy-4-[2-([[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[(pyridin-3-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)-2-[(isobutoxycarbonyl)amino]propanoic acid or pharmaceutical salts thereof.

25 38. A compound of Claim 1 wherein G is $R^8\text{NHCO}$ and R^8 is pyridin-4yl and R^4 is NHCO_2R^9 .

30 39. A compound of Claim 1 which is:

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-[(methoxycarbonyl)amino]propanoic acid;

5 (2S)-2-[(ethoxycarbonyl)amino]-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)-amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-[(propoxycarbonyl)amino]propanoic acid;

10 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-[(isopropoxycarbonyl)amino]propanoic acid;

(2S)-2-{{[(allyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

15 (2S)-2-{{[(but-3-enyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)-amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

20 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-{{[(prop-2-ynyloxy)carbonyl]amino}propanoic acid;

(2S)-2-{{[(hexyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)-amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

25 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-{{[(octyloxy)carbonyl]amino}propanoic acid;

(2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-{{[(neopentyloxy)carbonyl]amino}propanoic acid;

30 (2S)-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-

benzoyl}amino)-2-{[(2,2,2-trichloroethoxy)carbonyl]amino}propanoic acid;

(2S)-2-[(butoxycarbonyl)amino]-3-({2-hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]-carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid; or

5

(2S)-3-({hydroxy-4-[2-({[(pyridin-4-ylmethyl)amino]carbonyl}amino)ethoxy]-benzoyl}amino)-2-[(isobutoxycarbonyl)amino]propanoic acid or pharmaceutical salts thereof.

10 40. A compound of Claim 1 which is:

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(4-methylbenzyl)-amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

15 (2S)-2-{[(benzyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(4-methoxybenzyl)-amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-({4-[2-({[(4-chlorobenzyl)amino]-carbonyl}amino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

20

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-[(4-{2-[(4-(dimethylamino)benzyl)-amino]carbonyl}amino)ethoxy]-2-hydroxybenzoyl]amino]propanoic acid;

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-[(2-hydroxy-4-{2-[(4-(trifluoromethoxy)-benzyl]amino)carbonyl}amino)ethoxy]benzoyl]amino]propanoic acid;

25

(2S)-2-{[(benzyloxy)carbonyl]amino}-3-({4-[2-({[(2-chlorobenzyl)amino]carbonyl}-amino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

30 (2S)-2-{[(benzyloxy)carbonyl]amino}-3-({2-hydroxy-4-[2-({[(2-methylbenzyl)-amino]carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid;

(2S)-2-{{(benzyloxy)carbonyl}amino}-3-({4-[2-{{(2-bromobenzyl)amino}-
carbonyl}amino)ethoxy]020hydroxybenzoyl}amino)propanoic acid;

5 (2S)-2-{{(benzyloxy)carbonyl}amino}-3-({4-[2-{{(2,4-dichlorobenzyl)amino}-
carbonyl}amino)ethoxy]-2-hydroxybenzoyl}amino)propanoic acid;

(2S)-3-({4-[2-{{(2-aminobenzyl)amino}carbonyl}amino)ethoxy]-2-
hydroxybenzoyl}-
amino)-2-{{(benzyloxy)carbonyl}amino}propanoic acid; or

10

(2S)-2-{{(benzyloxy)carbonyl}amino}-3-({2-hydroxy-4-[2-{{(pyridin-2-
ylmethyl)amino}carbonyl}amino)ethoxy]benzoyl}amino)propanoic acid or
pharmaceutical salts thereof.

15 41. A compound of Claim 1 which is:

(2S)-2-Benzenesulfonylamino-3-(2-hydroxy-4-[3-(1,4,5,6-tetrahydropyrimidin-
2-ylamino)propoxy]benzoylamino)-propionic acid;

20 (2S)-2-Benzenesulfonylamino-3-{2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-
2-ylamino)ethoxy]benzoylamino}propionic acid tert-butyl ester;

(2S)-2-Benzenesulfonylamino-3-{2-hydroxy-5-[4-(pyrimidin-2-ylamino)-butoxy]-
benzoylamino}propionic acid;

25

(2S)-2-Benzenesulfonylamino-3-{2-hydroxy-5-[4-(1,4,5,6-tetrahydropyrimidin-2-
ylamino)butoxy]benzoylamino}propionic acid ethyl ester;

30 (2S)-2-Benzenesulfonylamino-3-{2-hydroxy-4-[3-(pyrimidin-2-ylamino)propoxy]-
benzoylamino} propionic acid;

3-{2-Hydroxy-5-[3-(pyrimidin-2-ylamino)propoxy]benzoylamino}-3-phenyl-

propionic acid;

(2S)-2-[(Adamantan-1-ylloxycarbonylamino)-3-(2-hydroxy-4-[2-(1,4,5,6-tetrahydro-
pyrimidin-2-ylamino)-ethoxy]-benzoylamino)]-propionic acid;

5

(2S)-2-Benzenesulfonylamino-3-(2-hydroxy-4-[3-(1,4,5,6-tetrahydropyrimidin-
2-ylamino)propoxy]benzoylamino)-propionic acid ethyl ester;

10

3-{2-Hydroxy-5-[3-(pyrimidin-2-ylamino)-propoxy]-benzoylamino}-3-phenyl-
propionic acid ethyl ester;

(2S)-2-(Adamantan-1-ylmethoxycarbonylamino)-3-{2-hydroxy-4-[2-(1,4,5,6-
tetrahydropyrimidin-2-ylamino)ethoxy]benzoylamino}propionic acid;

15

(2S)-2-Benzenesulfonylamino-3-{2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-2-
ylamino)ethoxy]benzoylamino}propionic acid isopropyl ester;

(2S)-2-tert-Butoxycarbonylamino-3-{2-hydroxy-4-[2-(1,4,5,6-tetrahydropyrimidin-
2-ylamino)ethoxy]benzoylamino}propionic acid; or

20

(2S)-2-Benzenesulfonylamino-3-{2-hydroxy-5-[4-(1,4,5,6-tetrahydropyrimidin-2-
ylamino)butoxy]benzoylamino}propionic acid or pharmaceutical salts thereof.

42. A compound of Claim 1 which is:

25

2(S)-Benzenesulfonylamino-3-[2-hydroxy-4-[(2-pyrimidin-2-ylamino)ethoxy]-
benzoylamino]propionic acid ethyl ester;

30

2(S)-Benzenesulfonylamino-3-[2-hydroxy-4-[(2-pyrimidin-2-ylamino)ethoxy]-
benzoylamino]propionic acid;

2(S)-Benzenesulfonylamino-3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2-

ylamino)ethoxy]benzoyl]amino]propionic acid hydrochloride;

2(S)-Benzenesulfonylamino-3-[2-hydroxy-4-[(2-pyrimidin-2-ylamino)ethoxy]-
benzoylamino]propionic acid ethyl ester hydrochloride;

5

2(S)-Benzyloxycarbonylamino-3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2-
ylamino)ethoxy]benzoylamino]propionic acid ethyl ester hydrochloride;

10

2(S)-Benzyloxycarbonylamino-3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2-
ylamino)ethoxy]benzoylamino]propionic acid hydrochloride;

3-[4-(2-Guanidinoethoxy)-2-hydroxy-benzoylamino]-3-phenylpropanoic acid
ethyl ester hydrochloride;

15

3-[4-Guanidinoethoxy)-2-hydroxy-benzoylamino]-3-phenylpropanoic acid
hydrochloride;

3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoylamino]-3-pyridin-3-yl-
propanoic acid ethyl ester;

20

3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoylamino]-3-pyridin-3-yl-
propanoic acid;

25

3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoylamino]-
3-pyridin-3-ylpropanoic acid ethyl ester dihydrochloride;

3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]benzoylamino]-
3-pyridin-3-yl-propanoic acid;

30

3-[4-(2-Guanidino-ethoxy)-2-hydroxybenzoylamino]-3-pyridin-3-yl-propanoic acid
ethyl ester dihydrochloride;

3-[4-(2-Guanidino-ethoxy)-2-hydroxybenzoylamino]-3-pyridin-3-yl-propanoic
acid;

3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoylamino]-3-phenyl-propanoic
5 acid ethyl ester;

3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]benzoylamino]-3-phenyl-propanoic
acid hydrochloride;

10 3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2ylamino)ethoxy]benzoylamino]-
3-phenyl-propanoic acid ethyl ester hydrochloride;

3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2ylamino)ethoxy]benzoylamino]-
3-phenyl-propanoic acid;

15 3-[2-hydroxy-5-[3-(pyrimidin-2-ylamino)propoxy]benzoylamino]-3-phenyl-
propanoic acid ethyl ester;

3-[2-hydroxy-5-[3-(pyrimidin-2-ylamino)propoxy]benzoylamino]-3-phenyl-
20 propanoic acid;

3-[2-hydroxy-5-[3-(3,4,5,6-tetrahydropyrimidin-2-ylamino)propoxy]benzoylamino]-
3-phenyl-propanoic acid ethyl ester hydrochloride;

25 3-[2-hydroxy-5-[3-(3,4,5,6-tetrahydropyrimidin-2-ylamino)propoxy]benzoylamino]-
3-phenyl-propanoic acid;

2(S)-Benzyloxycarbonylamino-3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]-
benzoylamino]propionic acid ethyl ester hydrochloride;

30 2(S)-Benzyloxycarbonylamino-3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]-
benzoylamino]propionic acid methyl ester;

2(S)-Benzyloxycarbonylamino-3-[2-hydroxy-4-[2-(pyrimidin-2-ylamino)ethoxy]-benzoylamino]propionic acid;


- 5 2(S)-Benzenesulfonylamino-3-[2-hydroxy-4-(2-methylpyrimidin-2-ylamino)-ethoxy]benzoylamino]propionic acid; or

2-Amino-3-[2-hydroxy-4-[2-(3,4,5,6-tetrahydropyrimidin-2-ylamino)ethoxy]-benzoylamino]propionic acid dihydrochloride or pharmaceutical salts thereof.

10


43. A pharmaceutical composition comprising a compound of Claim 1 and at least one pharmaceutically acceptable carrier or excipient.

44. A method of treating a mammal afflicted with a condition that is selected from
15 metastasis, neovascularization, angiogenesis, tumor growth, inflammation, restenosis, bone resorption, and adenovirus infection which comprises providing to the mammal a therapeutically effective amount of a compound of the formula:



wherein
20

G is



5 R^1 and R^2 are independently, hydrogen, alkyl of 1 to 6 carbon atoms, mono or bicyclic aralkyl of 6 to 10 carbon atoms, or heterocycloalkyl-alkyl comprised of a 5 to 10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O and an alkyl of 1 to 6 carbon atoms.

10 R^3 is hydrogen, mono or bicyclic aryl of 6 to 10 carbon atoms, 5 to 10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O;

15 R^4 is hydrogen, NHR^9 , OR^9 , $NHCO_2R^9$, $NHCONHR^9$, $NHCOR^9$ or $NHSO_2R^9$; provided that R^3 and R^4 are not both hydrogen;

20 R^5 is hydrogen, or alkyl of 1 to 6 carbon atoms, optionally substituted with a terminal group forming a prodrug;

R^6 and R^7 are hydrogen, alkyl of 1 to 6 carbon atoms, alkoxy of 1 to 6 carbon atoms, or aralkoxy of 6 to 10 carbon atoms;

25 R^8 and R^9 are independently hydrogen, trichloroalkylalkoxy, trifluoromethoxy phenyl, aralkenyl of 7 to 10 carbon atoms, alkyl of 1 to 10 carbon atoms, alkenyl of 2 to 10 carbons, alkynyl of 2 to 10 carbons, mono or polycycloalkyl of 3 to 10 carbon atoms, mono or bicyclic aryl of 6 to 10 carbon atoms, 6 to

10 membered mono or bicyclic heterocycloalkyl having 1 to 3 heteroatoms
selected from S, N and O, mono or bicyclic aralkyl of 7 to 10 carbon atoms, or
heterocycloalkyl-alkyl comprised of a 5 to 10 membered mono or bicyclic
heterocycloalkyl having 1 to 3 heteroatoms selected from S, N and O and an
5 alkyl of 1 to 6 carbon atoms;

n is an integer from 1 to 4;

m is 0 or 1;

10

or a pharmaceutical salt thereof.

45. The method of Claim 44 wherein the integrin receptor is $\alpha_v\beta_3$.

15

46. The method of Claim 44 wherein the condition is cancer.

47. The method of Claim 46 wherein the cancer is associated with at least one of
metastasis, angiogenesis, neovascularization and tumor growth.

20

48. The method of Claim 44 wherein the condition is benign tumor growth.

49. The method of Claim 44 wherein the condition is neovascularization.

25

50. The method of Claim 49 wherein neovascularization is associated with
diabetic retinopathy, glaucoma, macular degeneration or blindness.

51. The method of Claim 49 wherein neovascularization associated with
rheumatoid
arthritis.

30

52. The method of Claim 44 wherein the condition is inflammation.

53. The method of Claim 52 wherein the inflammation is associated with
rheumatoid
arthritis or psoriasis.

5 54. The method of Claim 44 wherein the condition is restenosis.

55. The method of Claim 54 wherein restenosis is associated with at least one of
smooth muscle cell migration, smooth muscle cell proliferation, vascular endothelial
cell migration and vascular endothelial cell proliferation.

10

56. The method of Claim 44 wherein the condition is viral infection.

57. The method of Claim 56 wherein the viral infection is caused by an
adenovirus.

15

58. The method of Claim 44 wherein the condition is characterized by bone
resorption.

20

59. The method of Claim 58 wherein bone resorption is associated with
osteoporosis, Paget's disease, hypercalcemia, osteopenia, hyperparathyroidism,
periarticular erosions, and periodontal disease.